

**PRIMATA**  
Tecnologia Eletrônica

## Technical Specifications

# P10

## Dolphin Clip

**CAT III 1000V / 32A**



**PRIMATA**  
Tecnologia Eletrônica

[www.primataeletronica.com.br](http://www.primataeletronica.com.br)  
[comercial@primataeletronica.com.br](mailto:comercial@primataeletronica.com.br)

Rev. 01-2022  
Page 1 of 3

## Presentation


The **Dolphin Clip P10** was designed by **PRIMATA ELETRÔNICA** to serve all energy meters, loggers and analyzers on the market. The clip is used as an accessory to capture **voltage signals** from the power grid.

Enabling **better coupling** in conductors when compared to alligator clips, the **Dolphin Clip P10** has insulation for **1000V (CAT III) / 32A** and connection with **banana plug of Ø4 mm**.



## Main Features

Insulation voltage	1000V (CAT III)
Maximum current	32A
Weight	25 g
Dimensions	16 x 42 x 92 mm
Clip opening	38 mm
Connection	Banana Plug of Ø4 mm (isolated upon request)
Protection against UV Rays	Yes
Available colors	Black, Red, Blue, White, Yellow, Green




**Contact us:**

Tel.: +55 (41) 3223-2176

Rua Visconde de Nácar, 288, Centro  
Curitiba - PR - 80410-200

[www.primataeletronica.com.br](http://www.primataeletronica.com.br)



**PRIMATA**  
Tecnologia Eletrônica

**PRIMATA ELETRÔNICA** products are in constant improvement. Therefore, the technical specifications contained in this material may be changed without previous notice. Check our website for possible updates.

