



PRIMATA
Tecnologia Eletrônica

Technical Specifications

P12 Kit

Dolphin Clip P10

+

Banana Plug Ø4 mm

+

Flexible Cable



Presentation


The **P12 Kit – Dolphin Clip P10 + Banana Plug Ø4 mm + Flexible Cable** was design by **PRIMATA ELETRÔNICA** to serve all energy meters, loggers and analyzers on the market. The kit is used as an accessory to capture **voltage signals** from the power grid. The **Dolphin Clip P10** allows **better coupling** in conductors when compared to alligator clips.



Main Features

Weight (with 2.0 m cable)	75 g
Available colors	Black, Red, Blue, White, Yellow, Green
Dolphin Clip P10	
Insulation voltage	1000V (CAT III)
Maximum current	32A
Dimensions	16 x 42 x 92 mm
Clip opening	38 mm
Protection against UV Rays	Yes
Banana Plug of Ø4 mm	
Maximum Capacity	20A / 250VCA
Isolated	Upon request
Flexible Silicone Cable	
Length	2.0 m (other lengths upon request.)
Nominal Section	1.5 mm ²
Nominal Voltage	750V

P12 Kit – Dolphin Clip P10 + Banana Plug Ø4 mm + Flexible Cable




Contact us:

Tel.: +55 (41) 3223-2176

Rua Visconde de Nácar, 288, Centro
Curitiba - PR - 80410-200

www.primataeletronica.com.br



PRIMATA
Tecnologia Eletrônica

PRIMATA ELETRÔNICA products are in constant improvement. Therefore, the technical specifications contained in this material may be changed without previous notice. Check our website for possible updates.



PRIMATA
Tecnologia Eletrônica

www.primataeletronica.com.br
comercial@primataeletronica.com.br

Rev. 01-2022
Page 3 of 3